



# STRONGER THAN STEEL

QUALITY EDGE STEEL SIDING

A black steam locomotive is positioned on train tracks, viewed from a low angle looking down the tracks. The locomotive's front features a large circular boiler door and a prominent headlight. The scene is set outdoors with trees and a cloudy sky in the background. A white rectangular text box is overlaid on the lower-left portion of the image.

# DESIGN + FUNCTION

There are two key elements that every house needs to be a home, **DESIGN + FUNCTION**. Your home needs to be *beautiful* while also standing the tests of mother nature & time. As a homeowner, you choose beauty first then function. Vesta & TruCedar are inspired by nature, created to emulate the lines, colors and textures of our surroundings. **A BEAUTIFUL HOME IS A BETTER HOME.** Each siding panel is forged by steel and fortified by our Kynar paint system to stand the tests of time. **A BALANCED HOME IS A BETTER HOME.**



A BEAUTIFUL  
HOME IS A  
**BETTER  
HOME**

MODERN &  
CONTEMPORARY

A modern or contemporary spin on traditional styles

MOODY COLOR  
PALETTES

Greys mixed with earth-tones to complement white

MIXED  
MATERIALS

Same but different. A mix of profiles in one color.

NATURALLY  
WARM ACCENTS

Elements of the earth to accent moody or monotone palettes.

# MODERN + CONTEMPORARY SPIN

Mid  
Century



Vesta Plank in Driftwood and Autumn Thistle

Modern  
Mountain



TruCedar Single 8" in Bennington Beige | TruCedar 6" Board & Batten in Ironstone | Drip edge, soffit and trim in Ironstone

Modern  
Farmhouse

DESIGN



Vesta Plank in White | Trim in Black



SAME COLOR PALETTE |  
MIXED MATERIALS



WARM  
ACCENTS





**MAINTENANCE  
FREEDOM**

A BALANCED HOME  
IS A BETTER HOME

50  
YEAR  
PANEL & PAINT  
WARRANTY



FUNCTION



Water Management



Panel Warranty

FUNCTION

## WATER MANAGEMENT

Designed not to need a rain screen, QE Steel Siding has pre engineered weep holes and a factory edge lap system to continually move water away from the home.

**Moisture is the enemy of every home. A dry home is a forever home.**  
Wind-driven rain is no longer an issue—QE Steel Siding lines work to prevent mold, mildew and structural damage caused by trapped moisture.

## PANEL WARRANTY

**G90 & G60 | Hot Dip Galvanized**

Reinforced with our hot dip galvanized steel process, the zinc infusions and corrosion barrier protect the panel from deteriorating over time.



- Kynar Paint System
- CarbonTech G60 & G90 Zinc Coating
- Steel Core
- CarbonTech G60 & G90 Zinc Coating
- Corrosion-Resistant Barrier



Wind  
Rating



Fire  
Rating

FUNCTION

## WIND RATING

During ASTM Testing in Florida, our Steel Siding passed each of the 6 pressure tests and performed so well that the studs blew out before there was any deformation of the siding panels.

**Meets ASTM E1592-05**  
Florida Building Code | Florida Residential Code

QE Steel Siding has passed some of the most rigorous testing in the industry meeting many high wind structural zone requirements.

## FIRE RATING

The Class A Fire Rating is the highest that can be achieved for flame & smoke spread. Our Steel Siding earned this rating which allows for builders and contractors to confidently design homes and buildings to meet requirements around the country.

*Class A has an FSR of 0 to 25, making our steel siding able to withstand fire for longer than any of the other classifications of fire ratings.*

### **Class A Fire Rating**

ASTM E84-18B: NOT SPREADING SMOKE OR FLAME  
ASTM E119: NOT ADDING FUEL TO THE FIRE





Paint  
Warranty

Impact  
Rating

FUNCTION

## PAINT WARRANTY

Designing an exterior cladding that requires little to no maintenance starts with the paint. Our Kynar Paint will withstand the harmful UV rays that breakdown color pigmentation.

Warranty: Lifetime, 1 Ownership Transfer Proration

## IMPACT RATING


QE Steel Siding's G90 & G60's steel core, zinc stabilized panels have been engineered to withstand some of the worst mother nature has to throw at.

### CHALK

ASTM D4214 –Method A  
Covering 8 hunter units over  
the lifetime of the panel.

### FADE

Covering 5 hunter units over  
the lifetime of the panel.



### Class 4 Impact Resistance Rating UL2218

It withstands the steel ball test from 20 ft, showing no evidence of tearing, fracturing, cracking, splitting, rupture, crazing or other evidence of opening.



A **PROFILE**  
TO SUIT  
ANY SPACE



TruCedar in 6" Board & Batten | Vesta Plank in White & Tourmaline | Fascia, soffit and trim in Black

## VESTA 5" PLANK SIDING

With modern technology in metal coatings and a classic design construction, Vesta steel siding reinvents ship lap for the modern era. Exchanging wood decay and paint chipping that happens on real-wood siding, Vesta's zinc-coated steel core, Kynar finish, and authentic woodgrain or solid design provides an enduring residential design with a modern twist on a classic silhouette.

STEEL 0.020" | FINISHES: KYNAR® 500 CARBONTECH90 & KYNAR | HEIGHT: 6.5" | EXPOSURE: 5" | LENGTHS: 8 & 12 FT

U.S. Patents: 10,508,455 & 10,760,282 U.K. Patent: 2,588,713 Canadian Patent Pending




## TRUCEDAR 5" x 5" BOARD & BATTEN

Driven by the need for symmetry, the 5x5 Board & Batten profile design offers modern architectural features with the strength and durability only found within steel siding. Designed to complement traditional or modern siding profiles, the 5x5 Board & Batten design changes the way homeowners think about mixing and matching profiles to achieve their unique design aesthetic.

STEEL 0.016" | FINISHES: HD2 WOODGRAIN CARBONTECH60 & SOLID KYNAR | HEIGHT: 11.71" | EXPOSURE: 10" | LENGTH: 10 FT

U.S. Patent: 11,649,638



Tru Cedar 5"x5" Board & Batten  
in Ironstone & Single 6" in White

TRUCEDAR  
10" BOARD & BATTEN

Board & Batten siding offers tight seams, designed for enhanced weather resistance without compromising the clean, polished look. Inspired by turn of the century construction, the resurgence of Board & Batten profiles provides an upgraded design for traditional or modern homes.

STEEL 0.016" | FINISHES: HD2 WOODGRAIN CARBONTECH60 & SOLID KYNAR | HEIGHT: 11.88" | EXPOSURE: 10" | LENGTH: 10 FT



TruCedar 10" Board & Batten  
in Napa Vine

## TRUCEDAR 6" BOARD & BATTEN

Used alone or combined with the 10" Board & Batten, the 6" Board & Batten profile offers architecturally interesting designs. Built to mimic real cedar, 6" Board & Batten siding creates a tight siding fit that withstands weather like rain and snow without compromising the design or durability.

STEEL 0.016" | FINISHES: HD2 WOODGRAIN CARBONTECH60 & SOLID KYNAR | HEIGHT: 7.88" | EXPOSURE: 6" | LENGTH: 10 FT



## TRUCEDAR 6" DUTCH LAP

Designed to emulate the appearance of hand-carved wood siding achieved through a decorative groove at the top of each board, Dutch Lap siding adds traditional charm to any style home design. In addition to its timeless look, Dutch Lap siding is built for the elements to stand up for a lifetime without impacting the color, design, or durability.

STEEL 0.016" | FINISHES: HD2 WOODGRAIN CARBONTECH60 & SOLID KYNAR | HEIGHT: 7" | EXPOSURE: 6.13" | LENGTH: 12 FT 6 1/2"



## TRUCEDAR 6" SINGLE LAP

Our 6" lap siding was designed with the homeowner in mind, combining durability and aesthetics, featuring a profile with an anti-corrosive and abrasive-resistant shell. Tighter seams, that won't expand and contract with temperature swings, mean your home is protected from the elements for lasting curb appeal.

STEEL 0.016" | FINISHES: HD2 WOODGRAIN CARBONTECH60 & SOLID KYNAR | HEIGHT: 7" | EXPOSURE: 6.13" | LENGTH: 12 FT 6 1/2"



Tru Cedar 6" Single Lap in English Saddle



## TRUCEDAR 8" SINGLE LAP

With a classic look making a comeback, the 8" lap profile combines the classic larger profile look with the modern benefits of steel siding. Built with longevity in mind, our 8" lap profile offers a high return on investment while also maintaining its top rating in environmental siding offering on the market because it's built to last a lifetime.

STEEL 0.016" | FINISHES: HD2 WOODGRAIN CARBONTECH60 & SOLID KYNAR | HEIGHT: 8.75" | EXPOSURE: 8" | LENGTH: 12 FT 6 1/2"



## TRUCEDAR 4" DOUBLE LAP

Double 4" siding stands out with its traditional horizontal profile, tight seams, and architectural look. Available in multiple woodgrain or solid colors, the Double 4" profile is an ideal choice to wrap an entire home or accent key design details with its tight look.

STEEL 0.016" | FINISHES: HD2 WOODGRAIN CARBONTECH60 & SOLID KYNAR | HEIGHT: 8.75" | EXPOSURE: 8" | LENGTH: 12 FT 6 1/2"







A **PALETTE**  
TO SUIT  
ANY EXTERIOR

Vesta Plank in Coal & Autumn Thistle | Fascia, drip edge and trim in Black

VESTA® HD3 WOODGRAIN COLORS



VESTA® SOLID COLORS



TRUCEDAR® HD2 WOODGRAIN COLORS




TRUCEDAR® SOLID COLORS




© SAND DOLLAR WOODGRAIN ARTWORK VAU1-378-183 | © DRIFTWOOD WOODGRAIN ARTWORK VAU1-378-232  
© AUTUMN THISTLE WOODGRAIN ARTWORK VAU1-378-233 | © GILDED GRAIN WOODGRAIN ARTWORK VAU 1-382-425

Due to printing limitations, colors may not be exactly as shown. Contact your distributor or sales representative for actual product samples.







**VESTA PLANK SIDING**  
5" PLANK - SOLID




**VESTA PLANK SIDING**  
5" PLANK - WOODGRAIN




**SINGLE 6"**




**SINGLE 6" DUTCH LAP**




**DOUBLE 4"**




**SINGLE 8"**



**6" BOARD & BATTEN**



**10" BOARD & BATTEN**



**5" X 5" BOARD & BATTEN**



**SEAMLESS SIDING COIL**  
*Non-Embossed, multiple size options*

SPECIFICATIONS | STEEL

**PRODUCT LINES**

TruCedar® Steel Siding  
Vesta Steel Siding®

**COATING**

Vesta:  
Kynar 500® (70% PVDF) – Woodgrains  
Kynar® (50% PVDF) – Solids

TruCedar:  
Kynar® (50% PVDF) – TruCedar Lap and Board & Batten

**TEXTURE**

Vesta: Smooth  
TruCedar: Embossed Woodgrain

**MATERIAL**

Steel

**THICKNESS**

0.020" (Vesta Panels)  
0.016" (TruCedar & Accessories)

**APPLICATION**

Horizontal: TruCedar, Vesta  
Vertical: TruCedar Board & Batten, Vesta

**COLOR AVAILABILITY**

Solid & Woodgrain

Please see our Spec Guide for complete color availability.  
[www.QualityEdge.com/Resources](http://www.QualityEdge.com/Resources)

**PATENT/COPYRIGHT**

U.S. Patent Nos.: 10,508,455 | 10,760,282  
U.K. Patent No.: 2,588,713  
Canadian Patent Pending

© Sand Dollar Woodgrain Artwork VAu1-378-183  
© Driftwood Woodgrain Artwork VAu1-378-232  
© Autumn Thistle Woodgrain Artwork VAu1-378-233  
© Gilded Grain Woodgrain Artwork VAu 1-382-425

**STRUCTURAL PERFORMANCE RATING**

ASTM E1592-05

**IMPACT RESISTANCE RATING**

UL2218 Class 4 Rating

**FLAME SPREAD AND SMOKE DEVELOPED RATINGS**

ASTM E84 -18b Class A Rating

**ACCELERATE TESTS**

Humidity Cabinet: panels given 90° bend and subjected to 100% Relative Humidity at 100°F (+/- 5° F) for 1,000 hours; no blistering, cracking, loss of gloss or peeling and no softening after 24-hour recovery. SALT SPRAY When subject to a 5% salt solution (ASTM B117), shall withstand 1,000 hours exposure without blistering or loss of adhesion.

**WEATHEROMETER**

Tested in accordance with ASTM D822-57T after period of 2,000 actual light hours with humidity control shall show no cracking, crazing or loss of adhesion. Chalking: No greater than ASTM D 659-44 No.10 rating, based on a scale of 10 being excellent, no more than 8 Hunter ΔE units. Color Change: No more than 8 Hunter ΔE units.

**BUILDING CODE RATINGS**

R703.3 Wall Covering Nominal Thickness and attachments.  
Source: IRC 2018

**TECHNICAL SUPPORT**

Complete technical information and literature is available at:  
[www.QualityEdge.com/Support](http://www.QualityEdge.com/Support)

**INSTALLATION SUPPORT**

Installation information is available at:  
[www.QualityEdge.com/Resources](http://www.QualityEdge.com/Resources)

**WARRANTY**

Applies only to building products installed in the fifty United States and District of Columbia. For complete warranty information, registration and claims, visit: [www.QualityEdge.com/Warranties](http://www.QualityEdge.com/Warranties)





GRAND RAPIDS • DALLAS • SAVANNAH

[QUALITYEDGE.COM](http://QUALITYEDGE.COM)